

Productname : LUB OIL 88
Ref.Nr.: BB27850-3-311007
Creationdate : 31.10.07
Replaces: 14.03.03

1. IDENTIFICATION OF PRODUCT AND COMPANY

Productname : LUB OIL 88
Bulk

Application : Lubricants

Company : CRC Industries Europe bvba
Touwslagerstraat 1
9240 ZELE
Belgium
Tel.: (+32)(0)52/456011
Fax: (+32)(0)52/450034
E-mail : hse@crcind.com

In case of emergency : (+32) (0)52/45 60 11

Subsidiaries		Tel	Fax
CRC Industries Finland	Asemanrinne 13, 08500 Lohja AS	(+358)(0)19/32921	(+358)(0)19/383676
CRC Industries France	12, Bld des Martyrs de Chateaubriant F-95102 Argenteuil Cédex	(+33)(0)1/34112000	(+33)(0)1/34110996
CRC Industries Deutschland	Südring 9, 76473 Iffezheim	(+49)(0)7229/3030	(+49)(0)7229/303266
CRC Industries Iberia	Gremio del cuero S/N, 40195 Segovia	(+34)921/427546	(+34)921/436270
CRC Industries Sweden	Kryptongatan 14, 43153 Mölndal	(+46)(0)31/7068480	(+46)(0)31/273991

2. HAZARD IDENTIFICATION

Health and Safety : R65: Harmful: may cause lung damage if swallowed.

3. COMPOSITION AND INFORMATION ON COMPONENTS

Hazardous ingredient	CAS-nr	EINECS	w/w %	symbol	R-phrases*	Notes
Distillates (petroleum), hydrotreated light; Kerosine - unspecified	64742-47-8	265-149-8	30-60	Xn	65-66	B
Explanation notes						
B : substance with national established workplace exposure limit						

(* Explanation risk-phrases : see chapter 16)

4. FIRST AID MEASURES

General Advice : If symptoms persist always call a doctor



Productname :	LUB OIL 88	Creationdate :	31.10.07
Ref.Nr.:	BB27850-3-311007	Replaces:	14.03.03

Contact with eyes : If substance has got into eyes, immediately wash out with plenty of water

Contact with skin : Wash with water and soap.
Seek medical attention if irritation persists

Inhalation : Fresh air, keep warm and at rest.

Ingestion : If swallowed do not induce vomiting because of risk of aspiration into the lungs. If aspiration is suspected obtain immediate medical attention

5. FIRE-FIGHTING MEASURES

Flash point (without propellant): 70 °C (Closed Cup)

Explosion limits : upper limit : not available

lower limit : not available

Extinguishing media : water, foam, carbon dioxide or dry agent

Fire-fighting procedures : Keep container(s) exposed to fire cool, by spraying with water

6. ACCIDENTAL RELEASE MEASURES

Personal precautions : Ensure adequate ventilation
Shut off all ignition sources

Environmental precautions : Do not allow to enter public sewers and watercourses

Cleaning methods : Absorb spillage in suitable inert material

7. HANDLING AND STORAGE

Handling procedures : The usual precautions for handling chemicals should be observed
Use only in well ventilated areas
Avoid contact with skin and eyes.

Storage procedures : Keep in a cool, dry, well ventilated place
Keep out of reach of children.

8. EXPOSURE CONTROL AND PERSONAL PROTECTION

Control procedures : Ensure adequate ventilation

Personal protection : It is advisable to take precautions to avoid contact with skin and eyes when handling the product.
Use only in well ventilated areas

9. PHYSICAL AND CHEMICAL PROPERTIES (for aerosols without propellant)

Apperance : physical state : Liquid

colour : colourless



Productname :	LUB OIL 88	Creationdate :	31.10.07
Ref.Nr.:	BB27850-3-311007	Replaces:	14.03.03

odour :	Characteristic odour
Boiling point/range :	not available
Relative density :	0.825 g/cm ³ (@ 20°C)
pH :	not applicable
Vapour pressure :	not available
Relative vapour density :	not available
Solubility in water :	Insoluble in water
Flash point :	70 °C (Closed Cup)
Auto-ignition :	> 200 °C
Viscosity :	< 7 mPas (@ 40°C)
Evaporation rate :	not available

10. STABILITY AND REACTIVITY

Conditions to be avoided :	Avoid overheating
Materials to be avoided :	Strong oxidising agent
Hazardous decomposition compounds :	CO,CO ₂

11. TOXICOLOGICAL INFORMATION

Ingestion :	After vomiting of swallowed product aspiration into lungs is likely. Solvents may induce chemical pneumonia.
Skin contact :	Prolonged skin contact will result in defatting of the skin, leading to irritation, and in some cases, dermatitis

12. ECOLOGICAL INFORMATION

Do not allow to enter public sewers and watercourses

13. WASTE DISPOSAL

Product :	Do not discharge into drains or the environment, dispose to an authorised waste collection point. Disposal should be in accordance with local, state or national legislation
------------------	---

14. TRANSPORT

Road/Rail - ADR/RID :	---- Not classified
Sea - IMDG :	
Air - IATA/ICAO :	



Productname :	LUB OIL 88	Creationdate :	31.10.07
Ref.Nr.:	BB27850-3-311007	Replaces:	14.03.03

15. REGULATORY INFORMATION

Warning symbol(s) : Xn

Risk-phrase(s) : R65: Harmful: may cause lung damage if swallowed.
R66: Repeated exposure may cause skin dryness or cracking.

Safety-phrase(s) : S2: Keep out of the reach of children.
S24: Avoid contact with skin.
S62: If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.

Contains : hydrocarbons

16. OTHER INFORMATION

This product should be stored, handled and used in accordance with good industrial hygiene practices and in conformity with any legal regulation.

The information contained herewith is based on the present state of our knowledge and is intended to describe our products from the point of view of safety requirements. It does not guarantee any specific properties.

Apart from any fair dealing for purposes of study, research and review of health, safety and environmental risks, no part of these documents may be reproduced by any process without written permission from CRC.

***Explanation risk-phrases:** R65: Harmful: may cause lung damage if swallowed.
R66: Repeated exposure may cause skin dryness or cracking.

This Material Safety Data Sheet may already have been revised at this moment for reason such as legislation, availability of components and newly acquired experiences. The latest and only valid version of this Material Safety Data Sheet will be sent to you upon simple request or can be found on our website : www.crcind.com. We recommend you to register on this website for this product so you will be able to receive any future updated version automatically.